AUTHOR INDEX TO VOLUME 66

Abraham, N.B., see L.M. Hoffer 66 (1988) 219
Adachi, Y., see A. Wada 66 (1988) 203
Agu, M., A. Akiba and S. Kamemaru, A parallel-processing optical–digital recognition system as a model of biological visual perception 66 (1988) 69
Akiba, A., see M. Agu 66 (1988) 69
Al-Bader, S.J. and H.A. Jamid, Stability of waves guided by a nonlinear self-focusing saturable film bounded by linear media 66 (1988) 88
Alger, M., see J.-L. de Bougrenet de la Tocna 66 (1988) 97
Alipieva, E., V. Grigorieva and G. Todorov, A method for relaxation constant separation of optically excited states 66 (1988) 198
Anderson, D.Z., see R. Saxena 66 (1988) 172
André, J.M. and B. Pardo, Onde électromagnétique sinusoidale dans un milieu périodiquement stratifié 66 (1988) 249
Ankiewicz, A., Interaction coefficient in detuned nonlinear couplers 66 (1988) 311
Arimondo, E., see A. Sasso 66 (1988) 270
Aristov, V.V., Yu.A. Basov, G.N. Kulipanov, V.F. Pindyurin, A.A. Snigirev and A.S. Sokolov, Image transmission by a Bragg–Fresnel X-ray lens 66 (1988) 183

Baev, V.M., K.-J. Boller and P.E. Toschek, Polarisation-dependent interference of two-photon absorption in a broad-band laser 66 (1988) 225
Balkarei, Yu.I., A.V. Grigor'yants, Yu.A. Rzhanov and M.I. Elinson, Regenerative oscillations, spatial-temporal single pulses and static inhomogeneous structures in optically bistable semiconductors 66 (1988) 161
Barr, J.R.M., N.J. Everall, C.J. Hooker, I.N. Ross, M.J. Shaw and W.T. Toner, High energy amplification of picosecond pulses at 248 nm 66 (1988) 127
Basov, Yu.A., see V.V. Aristov 66 (1988) 183
Basuray, A., see S. Mukhopadhyay 66 (1988) 186
Beigang, R., see M. Hube 66 (1988) 107
Beloussov, I.V. and V.V. Serzhentu, On light absorption in a semiconductor in the field of a strong electromagnetic wave 66 (1988) 115
Ben-Aryeh, Y. and A. Postan, Enhancement of phase conjugation by stimulated Brillouin scattering in flowing and non-flowing gases 66 (1988) 47
Berrue, J., A. Chave, B. Dumon, A. Idrissi and M. Thibeau, Un nouveau développement de calculs analytiques des intensités diffusées Rayleigh intégrées par des molécules anisotropes linéaires 66 (1988) 275
Boller, K.-J., see V.M. Baev 66 (1988) 225
Bondiou, M., see J.-L. de Bougrenet de la Tocna 66 (1988) 97
Bonifacio, R., F. Casagrande, M. Ferrario, P. Pierini and N. Piovella, Hamiltonian model and scaling laws for free-electron-laser amplifiers with tapered wiggler 66 (1988) 133
Boudet, A., see F. Kajzar 66 (1988) 55
Bulloni, M., S. De Silvestri, Y. Liu, V. Magni, P. Laporta and F. Zaraga, High resolution measurement of jet stream thickness by optical ranging 66 (1988) 280

AUTHOR INDEX TO VOLUME 66

Abraham, N.B., see L.M. Hoffer 66 (1988) 219
Adachi, Y., see A. Wada 66 (1988) 203
Agu, M., A. Akiba and S. Kamemaru, A parallel-processing optical–digital recognition system as a model of biological visual perception 66 (1988) 69
Akiba, A., see M. Agu 66 (1988) 69
Al-Bader, S.J. and H.A. Jamid, Stability of waves guided by a nonlinear self-focusing saturable film bounded by linear media 66 (1988) 88
Alger, M., see J.-L. de Bougrenet de la Tocna 66 (1988) 97
Alipieva, E., V. Grigorieva and G. Todorov, A method for relaxation constant separation of optically excited states 66 (1988) 198
Anderson, D.Z., see R. Saxena 66 (1988) 172
André, J.M. and B. Pardo, Onde électromagnétique sinusoidale dans un milieu périodiquement stratifié 66 (1988) 249
Ankiewicz, A., Interaction coefficient in detuned nonlinear couplers 66 (1988) 311
Arimondo, E., see A. Sasso 66 (1988) 270
Aristov, V.V., Yu.A. Basov, G.N. Kulipanov, V.F. Pindyurin, A.A. Snigirev and A.S. Sokolov, Image transmission by a Bragg–Fresnel X-ray lens 66 (1988) 183

Baev, V.M., K.-J. Boller and P.E. Toschek, Polarisation-dependent interference of two-photon absorption in a broad-band laser 66 (1988) 225
Balkarei, Yu.I., A.V. Grigor'yants, Yu.A. Rzhanov and M.I. Elinson, Regenerative oscillations, spatial-temporal single pulses and static inhomogeneous structures in optically bistable semiconductors 66 (1988) 161
Barr, J.R.M., N.J. Everall, C.J. Hooker, I.N. Ross, M.J. Shaw and W.T. Toner, High energy amplification of picosecond pulses at 248 nm 66 (1988) 127
Basov, Yu.A., see V.V. Aristov 66 (1988) 183
Basuray, A., see S. Mukhopadhyay 66 (1988) 186
Beigang, R., see M. Hube 66 (1988) 107
Beloussov, I.V. and V.V. Serzhentu, On light absorption in a semiconductor in the field of a strong electromagnetic wave 66 (1988) 115
Ben-Aryeh, Y. and A. Postan, Enhancement of phase conjugation by stimulated Brillouin scattering in flowing and non-flowing gases 66 (1988) 47
Berrue, J., A. Chave, B. Dumon, A. Idrissi and M. Thibeau, Un nouveau développement de calculs analytiques des intensités diffusées Rayleigh intégrées par des molécules anisotropes linéaires 66 (1988) 275
Boller, K.-J., see V.M. Baev 66 (1988) 225
Bondiou, M., see J.-L. de Bougrenet de la Tocna 66 (1988) 97
Bonifacio, R., F. Casagrande, M. Ferrario, P. Pierini and N. Piovella, Hamiltonian model and scaling laws for free-electron-laser amplifiers with tapered wiggler 66 (1988) 133
Boudet, A., see F. Kajzar 66 (1988) 55
Bulloni, M., S. De Silvestri, Y. Liu, V. Magni, P. Laporta and F. Zaraga, High resolution measurement of jet stream thickness by optical ranging 66 (1988) 280

Burschka, S. and J. Mlynek, Optically induced spin transients in the ground state of atomic sodium 66 (1988) 59

Casagrande, F., see R. Bonifacio 66 (1988) 133
Chapron, P., see P. Elias 66 (1988) 100
Chave, A., see J. Berrue 66 (1988) 275
Chen, W., see M. Gu 66 (1988) 35
Chollet, P.A., see F. Kajzar 66 (1988) 55
Christian, W.R., T.H. Chyba, E.C. Gage and L. Mandel, Observation of random π phase jumps in a ring laser with backscattering 66 (1988) 238
Chudesnikov, D.O., A.V. Tsvetnov and V.P. Yakovlev, The resonance Kapitza–Dirac effect in a quantized electromagnetic field 66 (1988) 191
Chyba, T.H., see W.R. Christian 66 (1988) 238
Ciddor, P.E., see B.K. Ward 66 (1988) 145

Da Silva, V.L., A.S.L. Gomes and J.R. Taylor, High order cascade Raman generation and soliton-like pulse formation in a 1.06 μm pumped fibre laser 66 (1988) 231
Datta, A.K., see S. Mukhopadhyay 66 (1988) 186
Datzyuk, V.V., see V.A. Kochelap 66 (1988) 195
De Bougrenet de la Tocnaye, J.-L., P. Pellat-Finet, M. Bondiou and M. Alger, Observed single-mode resonance in a multimode fiber generator 66 (1988) 97
Deng, X., see M. Gu 66 (1988) 35
De Silvestri, S., see M. Bulloni 66 (1988) 280
Dias Tavares Jr., A., N. Müller, J.L. Fabris and C.A. Massone, Excitation characteristics of a wire-preionized, ultraviolet nitrogen laser 66 (1988) 140
Dieckmann, M., see M. Hube 66 (1988) 107
Di Vito, M.G., see A. Sasso 66 (1988) 270
Drake, K.H., W. Lange and J. Mlynek, Nonlinear Faraday- and Voigt effect in a $J=1$ to $J'=0$ transition in atomic samarium vapor 66 (1988) 315
Duan, G.H., F. Favre and D. Le Guen, FM noise and linewidth reduction in a 1.5 μm InGaAsP DFB laser coupled to an external fiber resonator 66 (1988) 111
Dumon, B., see J. Berrue 66 (1988) 275

Ehlotzky, F., Sum rules in relativistic potential scattering in a strong laser field 66 (1988) 265
Elias, P., P. Chapron and B. Laurent, Detection of melting in release for a shock-loaded tin sample using the reflectivity measurement method 66 (1988) 100
Elinson, M.I., see Yu.I. Balkarei 66 (1988) 161
Ernsting, N.P., see M. Kaschke 66 (1988) 211
Etemad, S., see F. Kajzar 66 (1988) 55
Everall, N.J., see J.R.M. Barr 66 (1988) 127

Fabris, J.L., see A. Dias Tavares Jr. 66 (1988) 140
Fan, D., see G. Lan 66 (1988) 235
Favre, F., see G.H. Duan 66 (1988) 111
Ferrario, M., see R. Bonifacio 66 (1988) 133
Fujiwara, H. and K. Nakagawa, Generation of phase-conjugate wave in methylred-doped PMMA and gelatin 66 (1988) 307
Fukuda, Y., see T. Mishina 66 (1988) 25

Gage, E.C., see W.R. Christian 66 (1988) 238
Gerasimchuk, A., S. Kornilov and E. Protsenko, Nearly 1 GHz frequency tuning range RF excited waveguide CO_2 laser 66 (1988) 149
Gomes, A.S.L., see V.L. da Silva 66 (1988) 231
Gong, Q. and Y.H. Zou, Collision-assisted optical field induced circular birefringence in sodium vapor 66 (1988) 294
Gori, F., G. Guattari, C. Palma and C. Padovani, A type of source with invariant far zone spectrum 66 (1988) 1
Gori, F., G. Guattari, C. Palma and C. Padovani, A class of shape invariant fields 66 (1988) 255
Grec, D., see F. Kajzar 66 (1988) 55
Grigorieva, V., see E. Alipieva 66 (1988) 198
Grigor'yants, A.V., see Yu.I. Balkarei 66 (1988) 161
Grynberg, G., Mirrorless four-wave mixing oscillation in atomic vapors 66 (1988) 321
Gu, M., W. Tan, Z. Lin, W. Chen, Y. Zheng, W. Yu and X. Deng, Evidence, from space resolved spectra, of $2\omega_0$ harmonic generation in laser irradiated plasma filaments 66 (1988) 35
Guattari, G., see F. Gori 66 (1988) 1, 255
Günter, P., see G. Pauliat 66 (1988) 329

Hashi, T., see T. Mishina 66 (1988) 25
Hirose, C., see A. Wada 66 (1988) 203
Hoffer, L.M., G.L. Lippi, N.B. Abraham and P. Mandel, Phase and frequency jumps in a bidirectional ring laser 66 (1988) 219
Honda, T., see Q.-S. Ru 66 (1988) 21
Hooker, C.J., see J.R.M. Barr 66 (1988) 127
Hube, M., M. Kumkar, M. Dieckmann, R. Beigang and B. Wellegehausen, Potassium-photoionization laser produced by innershell ionization of excited potassium 66 (1988) 107
Hui, D., see Y.P. Li 66 (1988) 122

Idrissi, A., see J. Berrue 66 (1988) 275
Imasaka, T., see S. Kawasaki 66 (1988) 285
Ishibashi, N., see S. Kawasaki 66 (1988) 285
Ishii, Y., Phase measuring real time holographic interferometry with a tunable laser diode 66 (1988) 74
Izmailov, I.A., see V.A. Kochelap 66 (1988) 195

Jackson, D.A., see D.J. Webb 66 (1988) 245
Jamid, H.A., see S.J. Al-Bader 66 (1988) 88
Jaroszewicz, Z., Conical zone plate 66 (1988) 9
Jedju, T., see F. Kajzar 66 (1988) 55
Jethwa, J., see K.A. Stankov 66 (1988) 41
Jiang, W., D. Sun and F. Li, Particle behaviour of femtosecond optical pulses 66 (1988) 152
Jones, J.D.C., see D.J. Webb 66 (1988) 245

Kajzar, F., L. Rothberg, S. Etemad, P.A. Chollet, D. Grec, A. Boudet and T. Jedju, Saturation absorption and Kerr susceptibility in polydiacetylene Langmuir–Blodgett film 66 (1988) 55
Kamemaru, S., see M. Agu 66 (1988) 69
Kaschke, M., N.P. Ernsting and F.P. Schäfer, Rubrene, a saturable absorber for 308 nm 66 (1988) 211
Kawasaki, S., T. Imasaka and N. Ishibashi, Widely tunable laser system using a single dye solution based on the stimulated Raman effect 66 (1988) 285

Kochelap, V.A., I.A. Izmailov and V.V. Datzyuk, Anomalous luminescence of singlet oxygen $O_2(^1\Delta)$ in a medium with a condensed disperse phase 66 (1988) 195
Komissarova, I.I., G.V. Ostrovskaya and E.N. Shedova, Light pressure-induced deformations of a free liquid surface 66 (1988) 15
Kornilov, S., see A. Gerasimchuk 66 (1988) 149
Kubota, H. and M. Nakazawa, Compensation of nonlinear chirp generated by self-steepening using third order dispersion of a grating pair 66 (1988) 79
Kulipanov, G.N., see V.V. Aristov 66 (1988) 183
Kumkar, M., see M. Hube 66 (1988) 107
Kun, Y., see Y.P. Li 66 (1988) 122

Lan, G., S. Zhao and D. Fan, Optical pulse smoothing by degenerate four-wave mixing 66 (1988) 235
Lange, W., see K.H. Drake 66 (1988) 315
Laporta, P., see M. Bulloni 66 (1988) 280
Laurent, B., see P. Elias 66 (1988) 100
Lee, C.T., Wehrl's entropy as a measure of squeezing 66 (1988) 52
Le Guen, D., see G.H. Duan 66 (1988) 111
Li, F., see W. Jiang 66 (1988) 152
Li, Y.P., D. Hui and Y. Kun, Design of phase plates for changing the wavefront of lasers 66 (1988) 122
Lin, Z., see M. Gu 66 (1988) 35
Lippi, G.L., see L.M. Hoffer 66 (1988) 219
Liu, L., see J. Zhang 66 (1988) 179
Liu, Y., see M. Bulloni 66 (1988) 280

MacGillivray, W.R. and D.T. Pegg, Four-state atom theory of the triple-peaked transmission profile of a sodium-filled Fabry-Perot etalon 66 (1988) 299
Magni, V., see M. Bulloni 66 (1988) 280
Malyshev, Yu., see A. Titov 66 (1988) 207
Mandel, L., see W.R. Christian 66 (1988) 238
Mandel, P., see V. Zehnle 66 (1988) 216
Mandel, P., see L.M. Hoffer 66 (1988) 219
Maneuf, S. and F. Reynaud, Quasi-steady state self-trapping of first, second and third order sub-nanosecond soliton beams 66 (1988) 325
Massone, C.A., see A. Dias Tavares Jr. 66 (1988) 140
Mindl, T. and S. Schneider, Improvement of picosecond time-resolved, single-shot pump-probe experiments by indirect measurement of pulse energies 66 (1988) 65
Mishina, T., Y. Fukuda and T. Hashi, Optical generation and detection of $\Delta m = 2$ Zeeman coherence in the Cs ground state with a diode laser 66 (1988) 25
Mlynek, J., see S. Burschka 66 (1988) 59
Mlynek, J., see K.H. Drake 66 (1988) 315
Mukhopadhyay, S., A. Basuray and A.K. Datta, A real-time optical parallel processor for binary addition with a carry 66 (1988) 186
Müller, N., see A. Dias Tavares Jr. 66 (1988) 140

Nakagawa, K., see H. Fujiwara 66 (1988) 307
Nakazawa, M., see H. Kubota 66 (1988) 79

Napasab, V. and T. Okoshi, New polarization-state control scheme: polarization recombining 66 (1988) 83

Ohyama, N., see Q.-S. Ru 66 (1988) 21
Okamoto, N. and S. Tashiro, Optical waveguides of polymethyl methacrylate doped with benzophenone and coumarin 66 (1988) 93
Okoshi, T., see V. Napasab 66 (1988) 83
Ostrovskaya, G.V., see I.I. Komissarova 66 (1988) 15

Padovani, C., see F. Gori 66 (1988) 1, 255
Palma, C., see F. Gori 66 (1988) 1, 255
Pardo, B., see J.M. André 66 (1988) 249
Pauliat, G. and P. Günter, Coherent light oscillators with photorefractive $KNbO_3$ crystals 66 (1988) 329
Peall, R.G., see R.R.A. Syms 66 (1988) 260
Pegg, D.T., see W.R. MacGillivray 66 (1988) 299
Peilat-Finet, P., see J.-L. de Bougrenet de la Tocna 66 (1988) 97
Pierini, P., see R. Bonifacio 66 (1988) 133
Pindyurin, V.F., see V.V. Aristov 66 (1988) 183
Piovella, N., see R. Bonifacio 66 (1988) 133
Piper, J.A., see B.K. Ward 66 (1988) 145
Postan, A., see Y. Ben-Aryeh 66 (1988) 47
Protsenko, E., see A. Gerasimchuk 66 (1988) 149

Rastorguev, Yu., see A. Titov 66 (1988) 207
Rathge, R.D., see L.A. Schlie 66 (1988) 289
Reynaud, F., see S. Maneuf 66 (1988) 325
Ringhofer, K.H., see L. Solymar 66 (1988) 31
Ross, I.N., see J.R.M. Barr 66 (1988) 127
Rothberg, L., see F. Kajzar 66 (1988) 55
Ru, Q.-S., T. Honda, J. Tsujiuchi and N. Ohyama, Fringe analysis by using 2-D Fresnel transform 66 (1988) 21
Rzhanov, Yu.A., see Yu.I. Balkarei 66 (1988) 161

Sasso, A., M.G. Di Vito and E. Arimondo, Optogalvanic and optoacoustic detections in a neon positive column 66 (1988) 270
Saxena, R. and D.Z. Anderson, Effects of an applied field on the steady state characteristics of a unidirectional photorefractive ring oscillator 66 (1988) 172
Schäfer, F.P., see M. Kaschke 66 (1988) 211
Schlie, L.A. and R.D. Rathge, 1.8 Watt cw atomic iodine photolysis laser at 1.315 μm 66 (1988) 289
Schneider, S., see T. Mindl 66 (1988) 65
Scully, M.O. and M.S. Zubairy, Noise free amplification via the two-photon correlated spontaneous emission laser 66 (1988) 303
Senthil Kumar, A. and R.M. Vasu, Multiplexing in multiple imaging through the theta modulation technique 66 (1988) 6
Serzhentu, V.V., see I.V. Beloussov 66 (1988) 115
Shaw, M.J., see J.R.M. Barr 66 (1988) 127
Shedova, E.N., see I.I. Komissarova 66 (1988) 15

Snigirev, A.A., see V.V. Aristov 66 (1988) 183
Sokolov, A.S., see V.V. Aristov 66 (1988) 183
Solymar, L. and K.H. Ringhofer, Equivalent circuit representation of spatial frequency dependence for wave interactions in photorefractive materials 66 (1988) 31
Spears, K.G., X. Zhu, X. Yang and L. Wang, Picosecond infrared generation from Nd-YAG and a visible, short cavity dye laser 66 (1988) 167
Stankov, K.A. and J. Jethwa, A new mode-locking technique using a nonlinear mirror 66 (1988) 41
Sun, D., see W. Jiang 66 (1988) 152
Sun, Y., see G. Xu 66 (1988) 155
Syms, R.R.A. and R.G. Peall, Explanation of asymmetric switch response of three-arm directional couplers in Ti:$LiNbO_3$ using strong coupling theory 66 (1988) 260

Tan, W., see M. Gu 66 (1988) 35
Tashiro, S., see N. Okamoto 66 (1988) 93
Taylor, J.R., see V.L. da Silva 66 (1988) 231
Taylor, R.M., see D.J. Webb 66 (1988) 245
Thibeau, M., see J. Berrue 66 (1988) 275
Titov, A., Yu. Malyshev and Yu. Rastorguev, Second-order Doppler shift in lasers stabilized by saturated absorption 66 (1988) 207
Todorov, G., see E. Alipieva 66 (1988) 198
Toner, W.T., see J.R.M. Barr 66 (1988) 127
Toschek, P.E., see V.M. Baev 66 (1988) 225
Tsujiuchi, J., see Q.-S. Ru 66 (1988) 21
Tsvetnov, A.V., see D.O. Chudesnikov 66 (1988) 191

Vasu, R.M., see A. Senthil Kumar 66 (1988) 6

Wada, A., Y. Adachi and C. Hirose, Alternately enhanced optogalvanic spectroscopy (AEOGS): state selective technique in pulsed optogalvanic double-resonance spectroscopy 66 (1988) 203
Wang, L., see K.G. Spears 66 (1988) 167
Ward, B.K., J.A. Piper and P.E. Ciddor, A frequency stabilised hollow cathode He-Cd laser 66 (1988) 145
Webb, D.J., R.M. Taylor, J.D.C. Jones and D.A. Jackson, Interferometric optical path difference measurement using sinusoidal frequency modulation of a diode laser 66 (1988) 245
Wellegehausen, B., see M. Hube 66 (1988) 107

Xu, G., S. Ye and Y. Sun, Alternating electric field enhancement of two-wave mixing gain in photorefractive BSO 66 (1988) 155

Yakovlev, V.P., see D.O. Chudesnikov 66 (1988) 191
Yang, X., see K.G. Spears 66 (1988) 167
Ye, S., see G. Xu 66 (1988) 155
Yu, W., see M. Gu 66 (1988) 35

Zaraga, F., see M. Bulloni 66 (1988) 280
Zehnle, V. and P. Mandel, Bifurcation diagrams for second harmonic generation in passive cavities 66 (1988) 216

Zhang, J. and L. Liu, Optical logical operation and moiré pattern 66 (1988) 179
Zhao, S., see G. Lan 66 (1988) 235
Zheng, Y., see M. Gu 66 (1988) 35
Zhu, X., see K.G. Spears 66 (1988) 167
Zou, Y.H., see Q. Gong 66 (1988) 294
Zubairy, M.S., see M.O. Scully 66 (1988) 303

SUBJECT INDEX TO VOLUME 66

Propagation and transmission in homogeneous media

A type of source with invariant far zone spectrum, F. Gori, G. Guattari, C. Palma and C. Padovani 66 (1988) 1
Improvement of picosecond time-resolved, single-shot pump-probe experiments by indirect measurement of pulse energies, T. Mindl and S. Schneider 66 (1988) 65
New polarization-state control scheme: polarization recombining, V. Napasab and T. Okoshi 66 (1988) 83
Optical logical operation and moiré pattern, J. Zhang and L. Liu 66 (1988) 179
Interferometric optical path difference measurement using sinusoidal frequency modulation of a diode laser, D.J. Webb, R.M. Taylor, J.D.C. Jones and D.A. Jackson 66 (1988) 245
Onde électromagnétique sinusoidale dans un milieu périodiquement stratifié, J.M. André and B. Pardo 66 (1988) 249
A class of shape invariant fields, F. Gori, G. Guattari, C. Palma and C. Padovani 66 (1988) 255

Optical information, image formation and analysis, optical computing

Multiplexing in multiple imaging through the theta modulation technique, A. Senthil Kumar and R.M. Vasu 66 (1988) 6
Conical zone plate, Z. Jaroszewicz 66 (1988) 9
Light pressure-induced deformations of a free liquid surface, I.I. Komissarova, G.V. Ostrovskaya and E.N. Shedova 66 (1988) 15
Fringe analysis by using 2-D Fresnel transform, Q.-S. Ru, T. Honda, J. Tsujiuchi and N. Ohyama 66 (1988) 21
A parallel-processing optical–digital recognition system as a model of biological visual perception, M. Agu, A. Akiba and S. Kamemaru 66 (1988) 69
Phase measuring real time holographic interferometry with a tunable laser diode, Y. Ishii 66 (1988) 74
Design of phase plates for changing the wavefront of lasers, Y.P. Li, D. Hui and Y. Kun 66 (1988) 122
Effects of an applied field on the steady state characteristics of a unidirectional photorefractive ring oscillator, R. Saxena and D.Z. Anderson 66 (1988) 172
Image transmission by a Bragg–Fresnel X-ray lens, V.V. Aristov, Yu.A. Basov, G.N. Kulipanov, V.F. Pindyurin, A.A. Snigirev and A.S. Sokolov 66 (1988) 183
A real-time optical parallel processor for binary addition with a carry, S. Mukhopadhyay, A. Basuray and A.K. Datta 66 (1988) 186

Optical communications

Compensation of nonlinear chirp generated by self-steepening using third order dispersion of a grating pair, H. Kubota and M. Nakazawa 66 (1988) 79
New polarization-state control scheme: polarization recombining, V. Napasab and T. Okoshi 66 (1988) 83
Stability of waves guided by a nonlinear self-focusing saturable film bounded by linear media, S.J. Al-Bader and H.A. Jamid 66 (1988) 88

Optical waveguides of polymethyl methacrylate doped with benzophenone and coumarin, N. Okamoto and S. Tashiro 66 (1988) 93
Observed single-mode resonance in a multimode fiber generator, J.-L. de Bougrenet de la Tocnaye, P. Pellat-Finet, M. Bondiou and M. Alger 66 (1988) 97
FM noise and linewidth reduction in a 1.5 μm InGaAsP DFB laser coupled to an external fiber resonator, G.H. Duan, F. Favre and D. Le Guen 66 (1988) 111
Explanation of asymmetric switch response of three-arm directional couplers in Ti:$LiNbO_3$ using strong coupling theory, R.R.A. Syms and R.G. Peall 66 (1988) 260

Atomic and molecular physics

Optical generation and detection of $\Delta m=2$ Zeeman coherence in the Cs ground state with a diode laser, T. Mishina, Y. Fukuda and T. Hashi 66 (1988) 25
The resonance Kapitza–Dirac effect in a quantized electromagnetic field, D.O. Chudesnikov, A.V. Tsvetnov and V.P. Yakovlev 66 (1988) 191
Anomalous luminescence of singlet oxygen $O_2(^1\Delta)$ in a medium with a condensed disperse phase, V.A. Kochelap, I.A. Izmailov and V.V. Datzyuk 66 (1988) 195
A method for relaxation constant separation of optically excited states, E. Alipieva, V. Grigorieva and G. Todorov 66 (1988) 198
Alternately enhanced optogalvanic spectroscopy (AEOGS): state selective technique in pulsed optogalvanic double-resonance spectroscopy, A. Wada, Y. Adachi and C. Hirose 66 (1988) 203
Sum rules in relativistic potential scattering in a strong laser field, F. Ehlotzky 66 (1988) 265
Optogalvanic and optoacoustic detections in a neon positive column, A. Sasso, M.G. Di Vito and E. Arimondo 66 (1988) 270
Un nouveau développement de calculs analytiques des intensités diffusées Rayleigh intégrées par des molécules anisotropes linéaires, J. Berrue, A. Chave, B. Dumon, A. Idrissi and M. Thibeau 66 (1988) 275

Condensed matter

Equivalent circuit representation of spatial frequency dependence for wave interactions in photorefractive materials, L. Solymar and K.H. Ringhofer 66 (1988) 31
Saturation absorption and Kerr susceptibility in polydiacetylene Langmuir–Blodgett film, F. Kajzar, L. Rothberg, S. Etemad, P.A. Chollet, D. Grec, A. Boudet and T. Jedju 66 (1988) 55
Detection of melting in release for a shock-loaded tin sample using the reflectivity measurement method, P. Elias, P. Chapron and B. Laurent 66 (1988) 100

Plasmas

Evidence, from space resolved spectra, of $2\omega_0$ harmonic generation in laser irradiated plasma filaments, M. Gu, W. Tan, Z. Lin, W. Chen, Y. Zheng, W. Yu and X. Deng 66 (1988) 35

Lasers

A new mode-locking technique using a nonlinear mirror, K.A. Stankov and J. Jethwa 66 (1988) 41
Improvement of picosecond time-resolved, single-shot pump-probe experiments by indirect measurement of pulse energies, T. Mindl and S. Schneider 66 (1988) 65
Potassium-photoionization laser produced by innershell ionization of excited potassium, M. Hube, M. Kumkar, M. Dieckmann, R. Beigang and B. Wellegehausen 66 (1988) 107

FM noise and linewidth reduction in a 1.5 μm InGaAsP DFB laser coupled to an external fiber resonator, G.H. Duan, F. Favre and D. Le Guen 66 (1988) 111
On light absorption in a semiconductor in the field of a strong electromagnetic wave, I.V. Beloussov and V.V. Serzhentu 66 (1988) 115
Design of phase plates for changing the wavefront of lasers, Y.P. Li, D. Hui and Y. Kun 66 (1988) 122
High energy amplification of picosecond pulses at 248 nm, J.R.M. Barr, N.J. Everall, C.J. Hooker, I.N. Ross, M.J. Shaw and W.T. Toner 66 (1988) 127
Hamiltonian model and scaling laws for free-electron-laser amplifiers with tapered wiggler, R. Bonifacio, F. Casagrande, M. Ferrario, P. Pierini and N. Piovella 66 (1988) 133
Excitation characteristics of a wire-preionized, ultraviolet nitrogen laser, A. Dias Tavares Jr., N. Müller, J.L. Fabris and C.A. Massone 66 (1988) 140
A frequency stabilised hollow cathode He-Cd laser, B.K. Ward, J.A. Piper and P.E. Ciddor 66 (1988) 145
Nearly 1 GHz frequency tuning range RF excited waveguide CO_2 laser, A. Gerasimchuk, S. Kornilov and E. Protsenko 66 (1988) 149
Second-order Doppler shift in lasers stabilized by saturated absorption, A. Titov, Yu. Malyshev and Yu. Rastorguev 66 (1988) 207
Rubrene, a saturable absorber for 308 nm, M. Kaschke, N.P. Ernsting and F.P. Schäfer 66 (1988) 211
Bifurcation diagrams for second harmonic generation in passive cavities, V. Zehnle and P. Mandel 66 (1988) 216
High resolution measurement of jet stream thickness by optical ranging, M. Bulloni, S. De Silvestri, Y. Liu, V. Magni, P. Laporta and F. Zaraga 66 (1988) 280
Widely tunable laser system using single a dye solution based on the stimulated Raman effect, S. Kawasaki, T. Imasaka and N. Ishibashi 66 (1988) 285
1.8 Watt cw atomic iodine photolysis laser at 1.315 μm, L.A. Schlie and R.D. Rathge 66 (1988) 289

Nonlinear optics

Enhancement of phase conjugation by stimulated Brillouin scattering in flowing and non-flowing gases, Y. Ben-Aryeh and A. Postan 66 (1988) 47
Wehrl's entropy as a measure of squeezing, C.T. Lee 66 (1988) 52
Saturation absorption and Kerr susceptibility in polydiacetylene Langmuir–Blodgett film, F. Kajzar, L. Rothberg, S. Etemad, P.A. Chollet, D. Grec, A. Boudet and T. Jedju 66 (1988) 55
Optically induced spin transients in the ground state of atomic sodium, S. Burschka and J. Mlynek 66 (1988) 59
Compensation of nonlinear chirp generated by self-steepening using third order dispersion of a grating pair, H. Kubota and M. Nakazawa 66 (1988) 79
Particle behaviour of femtosecond optical pulses, W. Jiang, D. Sun and F. Li 66 (1988) 152
Alternating electric field enhancement of two-wave mixing gain in photorefractive BSO, G. Xu, S. Ye and Y. Sun 66 (1988) 155
Regenerative oscillations, spatial-temporal single pulses and static inhomogeneous structures in optically bistable semiconductors, Yu.I. Balkarei, A.V. Grigor'yants, Yu.A. Rzhanov and M.I. Elinson 66 (1988) 161
Picosecond infrared generation from Nd-YAG and a visible, short cavity dye laser, K.G. Spears, X. Zhu, X. Yang and L. Wang 66 (1988) 167
Effects of an applied field on the steady state characteristics of a unidirectional photorefractive ring oscillator, R. Saxena and D.Z. Anderson 66 (1988) 172
Phase and frequency jumps in a bidirectional ring laser, L.M. Hoffer, G.L. Lippi, N.B. Abraham and P. Mandel 66 (1988) 219

Polarisation-dependent interference of two-photon absorption in a broad-band laser, V.M. Baev, K.-J. Boller and P.E. Toschek 66 (1988) 225
High order cascade Raman generation and soliton-like pulse formation in a 1.06 μm pumped fibre laser, V.L. da Silva, A.S.L. Gomes and J.R. Taylor 66 (1988) 231
Optical pulse smoothing by degenerate four-wave mixing, G. Lan, S. Zhao and D. Fan 66 (1988) 235
Observation of random π phase jumps in a ring laser with backscattering, W.R. Christian, T.H. Chyba, E.C. Gage and L. Mandel 66 (1988) 238
Collision-assisted optical field induced circular birefringence in sodium vapor, Q. Gong and Y.H. Zou 66 (1988) 294
Four-state atom theory of the triple-peaked transmission profile of a sodium-filled Fabry-Perot etalon, W.R. MacGillivray and D.T. Pegg 66 (1988) 299
Noise free amplification via the two-photon correlated spontaneous emission laser, M.O. Scully and M.S. Zubairy 66 (1988) 303
Generation of phase-conjugate wave in methylred-doped PMMA and gelatin, H. Fujiwara and K. Nakagawa 66 (1988) 307
Interaction coefficient in detuned nonlinear couplers, A. Ankiewicz 66 (1988) 311
Nonlinear Faraday- and Voigt effect in a $J=1$ to $J'=0$ transition in atomic samarium vapor, K.H. Drake, W. Lange and J. Mlynek 66 (1988) 315
Mirrorless four-wave mixing oscillation in atomic vapors, G. Grynberg 66 (1988) 321
Quasi-steady state self-trapping of first, second and third order sub-nanosecond soliton beams, S. Maneuf and F. Reynaud 66 (1988) 325
Coherent light oscillators with photorefractive $KNbO_3$ crystals, G. Pauliat and P. Günter 66 (1988) 329